




# 31 Centre Consoles

LOA:	31' / 9.45 m
Beam:	8' 4" / 2.54 m
Weight, Dry:	5,800 lbs* / 2,631 kgs
Fuel Capacity:	204 gals. / 772 L
Optional Fuel:	40 gallons / 151 L
Recommended Power:	
Twin Mercury 300 Verados	
Speed:	67 mph
Hull Warranty:	6 Years
Cruise (Fuel) at 46 mph:	28 gph
WOT (Fuel) w/Mercury 300 Verado:	
60 gph at 67.4 mph	
Maximum Cruising Range:	
307 miles at 90% capacity	


Be advised that performance figures are merely an estimate of what you can expect based on our factory testing program. The above listed speeds are verified by GPS with one test driver and less than forty (40) gallons of fuel. Boat speeds, fuel mileage and range can vary depending on weight, fuel load, number of passengers, air temperature, altitude, humidity, barometric pressure, water conditions, wind, engine tuning, horsepower (HP) variance from engine to engine, propellers, canvas and numerous other factors beyond our control. Cruising range calculated at 90% tank capacity. Fountain Powerboats reserves the right to make changes on standard and optional equipment at any time without prior notice. Useable fuel in a gas tank may be slightly less than the advertised fuel capacity.

\*Boat weights can vary depending on optional equipment.



## Features

- Anchor locker, recessed in forward bulkhead
- Bilge pumps (2), automatic 1200 GPH
- Compass
- Center console, pre-wired, fiberglass w/electronics locker, one piece plexiglass windshield, molded foot rest, enclosed head (porta potti)
- Fuel tank, heavy duty, baffled, 3/16" thick aluminum; foamed, glassed and bolted in position w/stainless steel pickup, 204 gallons total capacity
- Rod holders, (4)
- GPS speedometer & Mercury gauges
- Propellers, stainless steel
- Fish box, 450 quart, insulated
- Trim tabs, heavy duty hydraulic, offshore hi-performance
- Livewell, 50 gallon at transom
- Outrigger plates on tower - Taco
- Rod storage under gunwale
- Trim indicators, electrical for motors and mechanical for tabs
- Battery switches (2), parallel, explosion proof
- Canvas helm seat and rear bench cover
- Rails, bow, welded 316L stainless steel, thru bolted
- Fuel gauge, electric
- Graphics, standard selection
- Dry/rod, storage 8 foot long, 16 inch deep, lockable
- Hand laid composite hull and deck manufactured w/multi-directional fiberglass, w/high density coring and Interplastic vinyl ester resin and w/hull and deck laminated, thru-bolted, screwed and sealed together w/heavy duty marine sealant/adhesive
- Rubrail w/ stainless steel insert
- Helm seat, leaning post style w/ fixed backrest & rod holders mounted on molded, insulated ice box
- Helm station, full instrumentation, molded foot rest, port and starboard side panel
- Horn, electric
- Hydraulic steering
- T-Top heavy duty w/electronics box, canvas and rod holders
- Transom storage boxes, insulated



# Features

## Options

- Autopilot, TR-1 Gladiator
- Backrest Removable or Fixed with Rod Holders
- Canvas Side Curtains
- CE Certification Kit
- Depth Gauge
- Docking Lights
- Fuel Tank, 234 Gallon Optional (Aux)
- Halogen Light (Additional, Front-Top Mounted)
- Jump Seats
- Jumper Cable with Receptacle
- Life Jacket Storage in T-Top
- Pop-Up Bow Light
- Rod Holders, Additional (2 Gunwale & 3 Transom)
- Rod Holders, Kingfish (2) Angled on T-Top
- Saltwater Washdown with Extra Pump
- Shipping Cradle
- Sirius Satellite Radio
- Swim Ladder with Bracket Mount
- Tackle Box in Console

