



LOW RES



Sport 42 Poker Run


LOA:	42' / 12.8 m
Beam:	8'6" / 2.6 m
Weight, Dry:	9,200 lbs.* / 4,173 kgs
Fuel Capacity:	220 gals. / 833 L
Draft w/ Drive Down:	40"
Bridge Clearance :	48"
Recommended Power:	

Twin Staggered Mercury 525 EFI w/ Bravo 1-XR/SSM/ITS

Speed:	97+ mph
Hull Warranty:	6 Years
Cruise (Fuel) at 60 mph:	52 gph
WOT (Fuel) w/Twin 525 Mercury:	
90 gph at 97 mph	
Maximum Cruising Range:	
220 miles at 90% capacity	


Be advised that performance figures are merely an estimate of what you can expect based on our factory testing program. The above listed speeds are verified by GPS with one test driver and less than forty (40) gallons of fuel. Boat speeds, fuel mileage and range can vary depending on weight, fuel load, number of passengers, air temperature, altitude, humidity, barometric pressure, water conditions, wind, engine tuning, horsepower (HP) variance from engine to engine, propellers, canvas and numerous other factors beyond our control. Cruising range calculated at 90% tank capacity. Fountain Powerboats reserves the right to make changes on standard and optional equipment at any time without prior notice. Useable fuel in a gas tank may be slightly less than the advertised fuel capacity.

*Boat weights can vary depending on optional equipment.




Features

- Ballast tank forward with remote water pickup & electric pump out w/toggle switch)
- Billet race throttles & shift with trim switches
- Bow storage compartment with lights
- Fire extinguisher automatic/ (2 hand held) (1 automatic)
- Bilge pumps aft and forward, manual/automatic (4) 12vdc (2, 1200 gph) (2, 550 gph)
- Color coordinated dash, throttles, gauges, bezels, wheel hub, steering wheel, cockpit rails
- Graphics, standard selection
- Battery switches, explosion proof
- Cockpit carpeting, custom with Fountain logos
- Fresh water flush
- Cockpit cover, form fitted including windshield, upgraded material
- Five point racing harnesses
- Super ventilated positive lift hull
- Exhaust, SS through transom
- Pop-up cleats (5) (1 at bow, 2 midship, 2 transom) with deck bezels
- Horn, electric
- Rails, 316L stainless steel thru bolted
- Instrumentation, heavy duty Livorsi gauges w/ integrated warning lights
- Satellite radio, Sirius or XM
- Intercom, 4 person with stereo, cell phone & VHF interface
- Stereo, AM/FM/CD 4 speakers, interfaced with intercom
- Livorsi monster gauges (4 tachometers, Mercury System View 5000, 4 water pressure, 4 oil pressure, 2 fuel gauges, 2 oil temp, 2 water temp, GPS speedometer)
- Windshield, 1/2" polycarbonate race, clear w/flush mounted fasteners
- Recaro racing seats on suspension mounts, (2 front adjustable Fwd & Aft)
- Sea strainer (Fountain Race)
- Steering, Latham heavy duty, twin pumps, race hi-performance with dual rams, SS tie bar
- Trim indicators heads up / mechanical for drives and tabs
- Bilge blowers (2)
- Blueprinted bottom
- Deck access hatch w/flush hardware
- Batteries, (2) Optima gel cell w/jumper cables
- Cockpit billet accents include: step pads
- Deck railing, center mounted
- Safety switches
- Billet battery boxes
- Compass
- Hand laid composite hull and deck manufactured w/multi-directional fiberglass, w/high density coring and Interplastic vinyl ester resin and w/ hull and deck laminated, thru-bolted, screwed and sealed together w/heavy duty marine sealant/ adhesive
- Engine hatch electric/hydraulic lift
- Pop-up bow navigation light with deck bezels



Features

- Cockpit liner, composite gelcoat finish
- GPS, plotter and depth finder
- Flush mount gas fill (2)
- Ice chest built in insulated
- Fuel / water filters (2)
- Rear grab rail for passengers
- Fuel cells (2) 220 gallons total with surge tanks
- Stainless steel 316L transom and bow eyes
- Fuel vapor detector
- Suspension seats (4) w/custom embroidered headrests
- Propellers, Herings 6 blade
- Removable steering wheel
- Staggered engines
- Trib tabs Mercury, heavy duty
- VHF, Icom interfaced with intercom



Options

- CE Certification Kit
- Hatch, Colored Mirror With Logo
- Shipping Cradle

